

RICOH C4 RANGE

IM C300
IM C300F
IM C400F
IM C400SRF

RICOH
imagine. change.



Future-proof technology at your fingertips.

Things have changed. Our new multifunction product (MFP) is the intelligent device you've always wanted to scan, copy, and print your A4 documents. No more frustration with an out-of-date contraption, slamming any part of the machine that moves. This colour MFP has a smart touch-screen control panel and is always running the latest technology. Putting up with old equipment until your contract finally ends is out. Software that automatically updates is in, along with the ability to add additional functionality that your business may need in future. Your MFP is always ready to operate. You can print, copy and scan more materials, faster and remotely from wherever you are – just plug in this intelligent device and let it run. You'll be glad to know our A4 and A3 MFP models work in exactly the same way too. The A4 MFP generates 30-43 pages per minute, and multiple paper trays mean you can handle any kind of pri

Scalable document handling options that grow with your business

Modern devices all interact with one another. Why should your MFP be any different? With Ricoh, you can scan documents to a folder on your network but also add third-party apps and cloud services. You decide which features your device does and doesn't have. You'll only see options for the services you use, so you can get to them quickly and without any fuss.

Secure handling of your documents and data

For complete security across your network, your MFP runs Ricoh's own operating system. This gives you complete control over who sees and doesn't see the documents you process. Your MFP can overwrite your data at the end of every print run, so no sensitive information is ever leaked. And you decide who has access to every document, restricting access to select information.

IM C300/ IM C300F/ IM C400F/ IM C400SRF

MAIN SPECIFICATIONS

	IM C300	IM C300F	IM C400F	IM C400SRF
GENERAL				
Warm-up time	19 seconds	19 seconds	17 seconds	17 seconds
First copy speed: BW	7.2 seconds	7.2 seconds	6.2 seconds	6.7 seconds
First copy speed: full colour	8.6 seconds	8.6 seconds	7.4 seconds	7.9 seconds
Continuous output speed	30 ppm	30 ppm	43 ppm	43 ppm
Memory: maximum	2 GB			
HDD: maximum	320 GB			
Weight	47 kg	47 kg	50 kg	60 kg
Dimensions: W x D x H	498 x 561 x 510 mm	498 x 561 x 510 mm	498 x 561 x 590 mm	615 x 561 x 706 mm
Power source	220 - 240 V, 50 - 60 Hz			

COPIER				
Multiple copying	Up to 999 copies			
Resolution	600 dpi			
Zoom	From 25% to 400% in 1% steps			

PRINTER				
Printer language: standard	PCL5c PCL6 PostScript 3 (emulation) PDF direct (emulation)			
Printer language: option	Genuine Adobe® PostScript®3™ PDF Direct from Adobe®			
Print resolution: maximum	1,200 x 1,200/1 bit			
Network interface: standard	Ethernet 10 base-T/100 base-TX/1000 base-T USB Host IF Type A USB Device IF Type B			
Network interface: option	Bi-directional IEEE 1284 Wireless LAN (IEEE 802.11a/b/g/n)			
Mobile printing capability	Apple AirPrint Mopria® Google Cloud Print NFC Ricoh Smart Device Connector			
Network protocol	TCP/IP			
Windows® environments	Windows® Vista/7/8.1/10, Windows® Server 2008/2008R2/2012/2012R2 Windows® Server 2016 Windows® Server 2019			
Mac OS environments	Macintosh OS X Native v10.11 or later			
UNIX environments	UNIX Sun® Solaris HP-UX SCO OpenServer RedHat® Linux Enterprise IBM® AIX			
SAP® environments	SAP® R/3® SAP® S/4®			

SCANNER				
Scanning speed: SPDF (A4 LEF, 200dpi, B&W full colour)	40 ipm (simplex) - 80 ipm (duplex)			
Resolution: maximum	1,200 dpi			
Scan modes	SD Card, URL, FTP, E-mail, Folder, USB			

FAX (IM C300F, IM C400F, IM C400SRF)

Circuit	-	PSTN, PBX	PSTN, PBX	PSTN, PBX
Compatibility	-	ITU-T (CCITT) G3	ITU-T (CCITT) G3	ITU-T (CCITT) G3
Transmission speed	-	seconds	seconds	seconds
Modem speed: maximum	-	Kbps	Kbps	Kbps
Scanning speed	-	80 spm	80 spm	80 spm

PAPER HANDLING

Recommended paper size	A4, A5, B5			
Paper input: standard	250 sheets	250 sheets	550 sheets	550 sheets
Paper input: bypass (standard)	100 sheets			
Paper input: maximum	2,000 sheets	2,000 sheets	2,300 sheets	2,300 sheets
Paper output: max.	200 sheets	200 sheets	200 sheets	250 sheets
Paper weight: standard	Trays (60 - 163 g/m²), Bypass (60 - 220 g/m²), Duplex (60 - 163 g/m²)			
Paper types	Plain paper, Recycled paper, Special paper, Colour paper, Letterhead, Cardstock, Preprinted paper, Bond paper, Coated paper, Envelope, Label paper, OHP, Back copied paper, Waterproof paper			

ECOLOGY

Power consumption: max.	< 1,200 W	< 1,200 W	< 1,350 W	< 1,350 W
Power consumption: ready	50.6 W	50.6 W	60.7 W	60.7 W
TEC*	0.37 kWh/week	0.37 kWh/week	0.52 kWh/week	0.52 kWh/week

* It is a reference value based on the ENERGY STAR Ver.3.0 test method.

INPUT/OUTPUT TRAYS AND FINISHER OPTIONS

3x 550-sheet paper tray	Paper size: (A4, A5, B5), Paper weight: (60-163 g/m²)
One-bin tray	Tray capacity: (100 sheets), Paper size: (A4, A5, B5), Paper weight: (60-163 g/m²)

OTHER OPTIONS



COMMISSION REGULATION (EU) 2019/2020. The light source of this product is not intended for applications other than image printing.

ISO9001 certified, ISO14001 certified, ISO27001 certified

All brand and/or product names are trademarks of their respective owners.

Specifications and external appearance are subject to change without notice. The images in this brochure are not real photographs and slight differences in detail might appear, including in relation to colour. Not all services and solutions are available to all customers.

Copyright © 2026 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.